

STEWARD STRICKLAND

Change the way you see the world.







new sleds.

new



engines.

compromises.



PERFORMANCE FUSION 14 SWITCHBACK 18 TRAIL SPORT 20




DEEP SNOW RMK 26



TOURING TWO-UP 32 CLASSIC 36

THE NEW IQ CHASSIS. THE IDEAL BALANCE OF POWER AND CONTROL ON ANY TERRAIN. CONTROL FREAKS REJOICE.


According to SnowTech Magazine, the IQ IFS suspension "leapfrogs the rest." The IQ redefines centralized mass and balance to create the most intuitive sled ever made. Resulting in the most dominant chassis we have ever manufactured. Designed to conquer snowy peaks, tame windswept ditchlines and straighten twisty trails. Once you experience the incredible balance of power and control, you may never step off.



IQ REAR SUSPENSION. Polaris has logged more miles of long-travel, fully coupled technology than any of its competitors. For 2006, we've tweaked these geometric relationships and shock valving to seamlessly blend the IQ rear suspension to the centralized mass of the IQ chassis and the IQ front suspension. The best just got better.


TRIANGULATED DESIGN. Praised by industry press as the "best suspension" ever, this revolutionary, one-of-a-kind design features triangulated mounting of upper and lower arms. Creating a stronger bulkhead and an exclusive patent-pending suspension geometry that simply conquers all.





PROGRESSIVE-MOTION SHOCK RATIO.


The best ride on the snow pack today, thanks in part to our true progressive rising rate shock motion from the advanced geometry of the IQ IFS. It sounds sophisticated, because it is, but the results are predictable bump control and infinite tuning capabilities. Plus it virtually eliminates bottoming, providing proactive shock absorption when you need it the most.



VARIABLE CASTER. Polaris exclusive. Patent pending. Predictable in all the right ways. The IQ front suspension increases caster angle as it travels through its range, putting control where it belongs – in your hands. A new-for-2006 spindle design further enhances these coveted traits while reducing unsprung weight and adding ski-width adjustability (RMK models only).


BERTY" TWO STROKE ENGINES INFUSING STOCK SLEDS WITH MOD POWER: Polaris has just perfected the "external" combustion engine: Because once you experience the raw torque harnessed. within our updated 900 Liberty (described by Snow Goer as a "torque monster") and all-new 700 Liberty, both with our new four-injector Cleanfire™ injection system or the ass-kicking new 600 HO with a hot-rod inspired 120 horsepower, the combustion will be anything but internal. Real-world power manufactured in the USA, with wicked corner-to-comer acceleration, crisp throttle response and a thick, linear power band. The 2006 Liberty two-strokes are a feast for the power hungry - whether you crave deep snow, a mogul-laden trail or an untracked lake.









CLASS-LEADING 120 HORSEPOWER. "High output" is an understatement. With a race-bred crankcase from the 440 IQ and high-flow reed cages, the new 600 HO delivers the ponies in spades.



HOW DO EXPERTS RATE THE NEW POLARIS FOUR-STROKES' THROTTLE RESPONSE? IF THEY SLOW DOWN LONG ENOUGH, WE'LL ASK. Introducing the new Polaris FS and FST four-stroke

engines – two motors with two personalities. Whether you prefer the smooth, quiet-running, fuel-efficient. FS or desire the turbo punch of the FST, your power needs will be met. Actually, they'll be exceeded. These newly christened, compact 750cc twins feature a high-tech engine management system to maximize throttle response and deliver the hassle-free joys of four-stroke power. And when energized by our instant turbo boost, the power is undeniably excessive. Based upon a reliable four-valve-per-cylinder overhead cam design that runs clean – exceeding EPA standards through 2012.





135 HORSEPOWER — WITHOUT THE WAIT. Yes, both of our new Polaris 750cc four-stroke engines are unquestionably clean, quiet and reliable. And with one stab of the throttle, the impressive, seamless power delivery of our new turbocharged FST will have you snickering inside your helmet. A compact, quick-to-spool turbo design coupled with an intelligent engine management system spells incredible turbocharged power with no hint of dreaded turbo lag.





RIDER SELECT. THANKS TO POLARIS, "MULTIPLE PERSONALITY" IS NO LONGER A DISORDER.

Named "...the century's best idea" by Supertrax International, the ingenious Polaris Rider Select system adapts to the way you ride – not the other way around. Any rider, any style, with the push of a button. Whether you ride aggressively, demand pinpoint carve control or desire comfort. Performance and deep-snow riders enjoy a full six inches of adjustment, fore to aft, to conquer any terrain imaginable. Standard on every IQ chassis, Rider Select lets you custom-engineer every ride to the whim of your splintered, rpm-laden psyche.








SCORES OF UNEXPLORED FEATURES. YOU HAVEN'T EXPERIENCED THIS MUCH ANTICIPATION SINCE PROM NIGHT.

The Polaris dedication to research and development is no more readily visible than in its purpose-built ergonomics and attention to detail. Refinements so instinctive, you're using them before you realize you're doing so. Seats shaped for freedom of movement, intelligent at-a-glance gauges and headlights that pierce through the darkness. Translating your thoughts to actions – instantly – so nothing distracts you from the ride. Whatever you want to do, our 2006 sleds will deliver – intuitively.




SEATS THAT STAND OUT. Unique seat ergonomics designed for every riding application – climbing, control, speed, cruising and comfort. The material is flawless, providing the perfect balance between grip and slick. And the RMK and SwitchBack models feature removable seats with underseat storage.

REVERSE THAT LOOKS TO THE FUTURE.

PERC (Polaris Electric Reverse Control) for two-stroke models or PERC-4™ (four-stroke models) is a unique push-button reverse system. An ingenious mechanism designed to quickly get you off a trailer, out of your garage, or to make the wrong direction right.








SUPERTRICK GAUGES. Easy to read and push-button adjustable from the handlebar. Digital/analog multi-function gauge displays fuel level, maximum speed, rpm, optional ambient temperature and altitude plus way more. Snow Goer raved our multi-function display "leads the industry by several giant steps." Heck, it does everything short of predict the weather.


SEE AND BE SEEN. The industry's brightest. Our IQ headlights feature dashboard-adjustable halogen bulbs, providing maximum horizontal and vertical illumination. Broad wide beams, snow beams and optional projector beams on select models.





















AVAILABLE IN BLACK/INDY RED AND BLACKSRIPERSONG BOX











CAN POWER AND CONTROL EXIST IN PERFECT HARMONY? IN A 2006 FUSION WES

The 2006 Fusion sleds are the epitome of controlled aggression – power balanced with confidence and predictions with with styling American Snowmobiler's 2005 Buyer's Guide says "hits the bullseye." From the 600 HO. An industry is 2007 to 120 hp and one of the best power-to-weight ratios in its class. To the 700: Hits the sweet spot between big-bare grant and 600cc hot-rod performance. To the 900: With our all-new four-injector Cleanfire system for clean bigs care in response. More than pure, linear acceleration, the Fusion offers handling so dynamic you can do more than each an each state of the stop occasionally, so your mends can caucht.












THEY SLICE, DICE AND CHOP. SnowTech Magazine recently called the SwitchBack "the most versatile machine offered by anyone." There's nothing a SwitchBack can't do; supplying exceptional performance across a wide range of conditions. From the FST with throttle response at your beck and call with no turbo lag. To the king of grunt 900 with all new Cleanfire injection. To the dynamic 600 HO with a class-leading 120 hp. The SwitchBack rails your favorite stretch of trail; demoralizes mogula and tames fine unknown when you blaze your own. It's crossover without compromise.



THE 2006 POLARIS INDY 500 AND 550 SUPERSPORT. THE BEST FUN-TO-WEIGHT RATIO IN THE INDUSTRY. At such an exceptional value, one cap't afford to not have the one of Polarie India 500.







Deep-snow riders are a breed apart. Because you measure snow in feet. Because there's no glory to be

found at the bottom. Because a world of granite and snow is your playground.

That's why we design our sleds to have nerves of steel - just like you. Engineered for climbing and carving,


exploring and conquering. So throw your leg over one of the 2006 deep-snow models and wave

goodbye to your inhibitions. Go make the impossible: possible. Seek out some stories to share and


some battle scars to wear. And remember, the key to earning a reputation is

first leaving a mark worth remembering.

Change the way you see the world.


































BE AS BAD AS YOU WANT. WITH A RIDE THIS CUSH, YOU'LL STILL FEEL GOOD. Our 2006 trail luxury Classics are built with a no-compromise attitude and skillfully blended with performance, handling and style. Easily make the boonies a day trip with these highly functional and

well-equipped trail sleds. From the smooth, reliable, under-the-hood power to the state-of-the-art controls, the Classics are the embodiment of a solid snow machine. An entire family of sleds so versatile, comfortable and flat-out fun to ride, the "far away" becomes a whole lot closer. The middle of nowhere is right where you want to be. No-man's land soon belongs to everyone. Climb on one today.

See where it takes you.



THE UNRIVALED IQ CHASSIS. Without question, the benchmark of comfort and centralized mass for ultimate control. Every IQ chassis features a patent-pending variable front suspension. The caster angle increases as the suspension travels through its range, providing unmatched stability, even through unpredictable terrain. Plus features like integrated running board grips and PERC and PERC 4 push button reverse make the IQ the best ride on snow today.





YOU MAY RIDE LIKE YOU HAVE ICE IN YOUR VEINS. BUT WITH PURE APPAREL,

YOU WON'T FEEL LIKE IT. Pure™ apparel is made with a deeper understanding of how weather affects the ride because, like you, we're riders ourselves. That's why we develop and test Pure apparel alongside the very snowmobiles we've spent a half-century perfecting. Apparel custom-made to maximize your Polaris experience – factoring in speed, wind and terrain. With sled-matching comfort, performance and appearance – tailored to you and your sled as if it were made for both. Because it was.



MOMENTUM HELMET

THE HELMET FOR POWDER HOUNDS AND SPEED FREAKS.

Moto-style helmet featuring a tough, lightweight, injection-moided polycarbonate shell with a removable, washable Duralux* liner, flow-through venting and an increased field of vision. Plus a "Quiet Ride" interior to reduce interior noise levels.



RIPPER JACKET

BOLD, FAST AND SPORTY. Thermolite® insulation for warmth without bulk. Waterproof, breathable nylon coating. Ventilated in front clavicle and back with a drop-tail hem to keep out air and dust. 3M® reflective patches for added safety, adjustable waist and cuffs plus bold Polaris graphics.





STAY DRY. NO MATTER HOW FAST YOU RIDE. Nylon outer shell with waterproof, breathable coating allows perspiration to escape and prevents wind and moisture from entering. Insulated inner layer provides warmth without bulk. Pre-curved knee design, two-tone race styling and reflective piping.


Octane apparel is designed for self-assertive, competitive, thrill-seeking souls. A line of apparel designed with maximum flexibility, water resistant shells and multiple vents.

Velocity riders know speed has nothing to do with physics or velocity or rate of motion – it's an addiction.

An apparel line including warm, waterproof, breathable components with removable liners to repel the mph-induced bite of the wind.

Freeride apparel is designed for those who like to comfortably explore the beauty of the outdoors at their own pace. Apparel that lets you survey the land in style with jackets and bibs designed for comfort and warmth.


Check out the full line of Octane, Velocity and Freeride apparel at polarisindustries.com or try it on for yourself at your local Polaris dealer.





ENIERS) EEN MAN EEN DE MAN DE EN DE BONNE EEN DE BONN EEN DE BONN DE BONN DE BONN DE BONN DE BONN DE BONN DE B

SNOW ISEE. We've sperit a rail-seminive opineering the perfect size sees shown able we'd compromise on accessories that further the riding experience. Or on components for the slears recist appointant accessory you. That's why Pure accessories are painstakingly tested to install easily, protect unconditionally and integrate seamlessly with your machine. Pure accessories are designed with a single goal in mind. To ensure that while your feet never touch the ground, you still leave quite an impression.



PREMIER POLYESTER COVER

FITS YOUR SLED LIKE A GLOVE: Fade and mildew resistant cover that fits your sled better than any aftermarket cover ever could. Critical tear points, like the handlebar area, are reinforced for protection. Cover features hooks, buckles, windshield strap and fuel cap access. With bold, sled-matching graphics.



IQ/FUSION HARD LUGGAGE

WHO SAYS YOU CAN'T TAKE IT WITH YOU? With Pure Polaris hard luggage for your Touring sled, you're provided ample amounts of lockable, removable, water resistant storage. Complete with a convenient handle, it goes where you go. Or choose the rugged, stylish and convenient storage of our semi-rigid bag. It easily attaches to the rear seat with cam buckles. Water resistant and fadeproof, it holds its shape whether empty or full. Long-lasting, waterproof zippers help protect contents.





FUSION CHROME DRAGON WINDSHIELD

BUILT FOR SPEED. Low 11 drag for increased aerodynamics. Made of durable chrome-tinted polycarbonate. Lends a standout appearance to your Fusion.

		PERFO	RMANCE	CROSSOVER			
MODEL NAME	900 Fusion	700 Fusion	600 HO Fusion	500 XC SP	900 Switchback	FST Switchback	600 HG Switchback
DIMENSIONS							
Overall Length (in./cm.)	115 / 292.1	115 / 292.1	T15 / 292.1	TI3 / 287	128 / 325.1	128 / 325.1	128 / 325.1
Overall Width (in./cm.)	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	48/121.9	48 / 121.9	48 / 121.9
Overall Height (in./cm.)	51 / 129.5	51 / 129.5	51 / 129.5	46/116.8	48.5 / 123.2	48.5 / 123.2	48.5 / 123.2
Ski Center Bistance (in./cm.)	42.5 / 108	42.5 / 108	42.5 / 108	42.5 / 108	42.5 / 108	42.5 / 108	42.5 / 108
Fuel Capacity (gallons/liters)	10.8 / 40.9	10.8 / 40.9	10.8 / 40.9	11.8 / 44.7	10.8 / 40.9	9.2 / 34.8	10.8 / 40.9
ENGINE AND URIVERRAIN	4.**					A STARK	
Engine Type / Cooling	Liberty / Liquid	Liberty / Liquid	Liberty / Liquid	Liberty / Liquid	Liberty / Liquid	Foor-Stroke / Liquid	Liberty / Liquid
Cylinders—Displacement (cc)	2,866	2,755	2,599	2,500	2,866	2,750	2,599
Ignition	Digital COI w/TPS, WTS and DET	Digital CDI w/TPS, WTS and BET	Digital CDI w/TPS, WTS and DET	Digital COI w/TPS, WTS, and Fuel Octane Switch	Digital CDI w/TPS. WTS and DET	Basch, Clased-Laop	Digital CDI w/TPS, WTS and DET
Exhaust	SC VES, Single	SC YES, Single	SC VES, Single	VES, Single	SC YES, Single	Single, Turbo	SC VES, Single
Fuel System	Cleanfire Injection	Cleanfire Injection	2 - TM38	2 - TM38	Cleanfire Injection	野	2 - TM38
Disc Brake Type	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantem, Hydraulic
Orive / Oriven Clutch	P-85 / TEAM®	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85 / TEAM	P-85/TEAM	P-85/TEAM
Suspension							
Front Suspension	lQ	. 1Q	IQ	EDGE	10	10	IQ
Front Travel (in./cm.)	10 / 25.4	18 / 25.4	10 / 25.4	10.3 / 26.2	10 / 25.4	10 / 25.4	10 / 25.4
Front Shocks	Ryde FX, HPG, IFP	Fox, HPG, IFP	Fox, HPG, IFP	Fex, HPG, IFP			
Ski Type	Composite	Composite	Composite	Composite	Composite	Composite	Composite
Rear Suspension	10	10	IQ	EDGE	Oual-Purpose Rail	Oual-Purpose Rail	Dual-Purpose Rail
Rear Travel (in./cm.)	13.9 / 35.3	13.9 / 35.3	13.9 / 35.3	13.9 / 35.3	16.5 / 41.9	16.5 / 41.9	16.5 / 41.9
Front Track Shock	Ryde FX, HPG, IFP	FDX, HPG, IFP	FOX, HPG, IFP	FOX, APG, IFP			
Rear Track Shock	FOX, PS5	FOX, PS5	FOX, PS5	FOX, PPS	FOX, HPG, IFP, Comp. Adj.	FOX, HPG, IFP, Comp. Adj.	FOX, HPG, IFP, Comp. Adj.
Track Width / Length / Height (in.)	15 x 121 x 1.25	15 x 121 x 1.25	15 x 121 x i	15 x 121 x .91	15 x 144 x 1.25	15 x 144 x 1.25	15 x 144 x 1.25
TEAUDRES.						157	
Electric Start	Accessory	Accessory	TBA	Accessory	Accessory	Accessory	TBA
Reverse	PERC	PERC	PERC	PERC	PERC	PERC - 4	PERC
Speedometer	MFD	MFD	MFD	Standard	MFD	MFD	MFD
Tachometer	MFD	MFD	MFD	Standard	MFD	MFD	MFD
Fuel Sauge	MFD	MFD	MFB	Mechanical	MFD	MFD	MFB
Temp. / Low Cil Light	MFD	MFD	MFD	Standard	MFD	MFD	MFD
12v-DC Oatlet	Accessary	Accessory	Accessory	Accessory	Accessory	Accessary	Accessory
Hand & Thumb Warmers	Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable
Heated Passenger Grips	N/A	N/A	N/A	H/A	N/A	N/A	N/A
Mirrors	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory
Seat Type	IQ	10	10	Polaris Adjustable Seat System	IQ SwitchBack, Removable	iQ SwitchBack, Removable	IQ SwitckBack, Removable
Rear Rack / Tow Hitch	Accessory	Accessory	Accessory	Accessory	Std./Accessory	Std./Accessory	Std./Accessory
Available Colors	Black/Indy Red or Black/SuperSonic Blue	Black/Indy Red or Black/SuperSonic Blue	Black/Indy Red or Black/SuperSonic Blue	Indy Red	SaperSonic Blue	Graphite Metallic	SuperSonic Blue

·			TRAIL LUXURY				TRAIL S	TRN9	KID:
700 CLASSIC	FST CLASSIC	FS CLASSIC	600 CLASSIC	500 CLASSIC	550 CLASSIC	340 Classic	550 SUPERSPORT / SUPERSPORT M-10	INDY 500	120
""""					i ji vieti i				
115 / 292.1	115 / 292.1	115 / 292.1	113 / 287	113 / 287	113 / 287	113 / 287	113 / 287	113 / 287	75 / 19 0
48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	34 / 86
53 / 134.6	53 / 134.6	53 / 134.6	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	45/116.8	46/116.8	31 / 78.
42.5 / 108	42.5 / 108	42.5 / 108	42.5 / 108	42.5 / 108	42.5 / 108	42.5/108	42.5 / 108	42.5 / 108	30 / 76
10.8 / 40.9	9.2 / 34.8	9.2 / 34.8	11.8 / 44.7	11.8 / 44.7	11.8 / 44.7	11.8 / 44.7	11.8 / 44.7	11.8 / 44.7	0.5/1.
									Ť.
Liberty / Liquid	Four-Stroke / Liquid	Four-Stroke / Liquid	Liberty / Liquid	Polaris / Liquid	Polaris / Fan	Polaris / Fan	Polaris / Fan	Polaris / Liquid	Polaris/
2,755	2,750	2,750	2,599	2,488	2,544	2,339	2,544	2,488	1,121
Digital COI w/TPS, WTS and DET	Bosch, Closed-Loop	Bosch, Closed-Loop	Digital COI w/TPS, WTS, and Foel Octane Switch	CDI	Digital CDI	Digital COI	Oigital COI	CDI	Transist
SC VES, Single	Single, Turbo	Single	VES, Single	Single	Single	Single	Single	Single	Single
: Cleanfire Injection	EFI	EFI	2 - TM38	2 - TM38	2 - ¥M34	2 - VM30SS	2 - YM34	2 - TM38	1 - BV1
Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Kydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Mechanical
P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85	P-85/TEAM	P-85 / TEAM	P-85/TEAM	P-85 ·	
		erani							
10	10	Di	EDĜE	EDGE	EDGE	EDGE	EDGE	EDGE	ZTI
10 / 25.4	10 / 25.4	10 / 25.4	10 / 25.4	10 / 25.4	10 / 25.4	10 / 25.4	10 / 25.4	10 / 25.4	3/7.6
Nitrex Select	Nitrex Select	Hitrex Select	Nitrex Select	Nitrex Select	Nitrex	Nitrex	Nitrex	Vitres	Hydraol
Composite	Composite	Composite	Composite	Composite	Composite	Composite	Composite	Composite	Compos
Fast M-10	Fast M-10	Fast M-10	Fast M-10	Fast M-10	EDGE	EDŒ	EDGE / Fast M-10	EDGE	Mini la
13 / 33	13 / 33	13 / 33	14/35.6	14 / 35.6	13.9 / 35.3	13.9 / 35.3	13.9/35.3 / 14/35.6	13.9 / 35.3	7/17.3
FOX. HPG, IFP	FOX, HPG, IFP	FOX, HPG, IFP	FOX, RPG, IFP	Fox, HPG, IFP	Nitrex	Nitrex	Nitrex / FOX, HPG, IFP	Nitrex	N/A
FOX, HPG, IFP	FOX, HPG, IFP	FOX, HPG, IFP	FOX, HPG, IFP	Fox, HPG, IFP	FOX, PPS	Nitrex Select	FOX, PPS / FOX, HPG, IFF	FOX, PPS	N/A
15 x 128 x 1.25	15 x 128 x 1.25	15 x 128 x 1.25	15 x 121 x 1	15 x 121 x 1	15 x 121 x .82	15 x 121 x .82	15 x 121 x .82 / 15 x 121 x 1	15 x 121 x .82	10 x 59 x
				eg (* '- pres) Kanada	gride (gride) en	and a second of			
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Accessory	Accessory	N/A
PERC	PERC - 4	PERC - 4	PERC	Std. Mechanical	PERC	PERC	PERC	Accessory	N/A
MFD	MFD	MFD	Standard	Standard	Standard	Standard	Standard	Standard	W.
MFD	MFD	MFD	Standard	Accessory	Accessory	Accessory	Accessory	Accessory	N/A
•	MFD	MFD	Electric	Electric	Mechanical	Mechanical	Mechanica)	Mechanical	Access
MFD		MFD	Standaré	Standard	N/A / Standard	N/A / Standard	N/A / Standard	Standard	X/A
MFD MFD	MFD		Standard	Standard	Standard	Standard	Accessory	Accessory	W
	MFD Standard	Standard	Ofersteur a		Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable	Access
MFD		Standard Std. Adjustable	Std. Adjustable	Std. Adjustable	ate, Acquatour				1.30 医多种格兰 计
MFD Standard	Standard			Std. Adjustable N/A	N/A	X/A	N/A	W	N/Y
MFD Standard Std. Adjustable	Standard Std. Adjustable	Std. Adjustable	Std. Adjustable	•		N/A Standard	N/A Accessory	N/A Accessary	
MFD Standard Std. Adjustable N/A	Standard Std. Adjustable N/A	Std. Adjustable N/A	Std. Adjustable N/A	N/A	N/A		•		N/A Removab
MFD Standard Std. Adjustable N/A Standard	Standard Std. Adjustable N/A Standard	Std. Adjustable W/A Standarů	Std. Adjustable N/A Standard Polaris Adjustable	N/A Standard Polaris Adjustable	N/A Standard	Standard	Accessory	Accessary	N/A Removab Storaç N/A

	ì
DFFP SNOV	ı

MODEL NAME	900 RMK 166*	900 RMK 159"	900 RMK 151"	700 RMK 159*	700 RMK 151°	700 RMK 144"	600 HO RMK	TRAIL RMK
DIMERSHIPS:		-n - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -						
Overall Length (in./cm.)	134/340.4	134 / 340,4	128 / 325.1	134/340.4	128 / 325.1	128 / 325.1	128 / 325.1	124/315
Overall Width (in./cm.)	48.5 / 118.1	46.5 / 118.1	46.5 / 118.1	46.5 / 118.1	46.5 / 118.1	46.5 / 118.1	46.5 / 118.1	45.5 / 115.6
Overall Height (in./cm.)	46.5 / 118.1	46.5 / 118.1	46.5 / 118.1	46.5/118.1	46.5 / 118.1	46.5 / 118.1	46.5 / 118.1	48 / 121.9
Ski Center Distance (in./cm.)	39-40-41/99.1-101.6-104.1	39-40-41/99.1-101.6-104.1	39-40-41/99.1-101.6-104.1	29-40-41/99.1-101.6-104.1	39-40-41/99.1-101.6-104.1	39-40-41/99.1-101.6-104.1	•	41/104,1
Fuel Capacity (gallons/liters)	10.8 / 40.9	10.8 / 40.9	10.8 / 40.9	10.8 / 40.9	10.8 / 40.9	10.8 / 40.9	10.8 / 40.9	11.8 / 44.7
FATGINE AND DRIVE FRAIA								
Engine Type / Cooling	Liberty / Liquid	Liberty / Liquid	Liberty / Liquid	Pelaris / Fae				
Cylinders—Displacement (cc)	2,866	2,865	2,866	2,755	2,755	2,755	2,59\$	2,544
Ignition	Digital CDI w/TPS, WTS and DET	Ofigital COI w/TPS, WTS and DET	Digital COI w/TPS, WTS and DET	Digital COI w/TPS, WTS and DET	Digital CDI			
Exhaust	SC VES, Single	SC VES, Single	SC YES, Single	SC VES, Single	SC VES, Single	SC VES, Single	SC VES, Single	Single
Fuel System	Cleanfire Injection	Cleanfire Injection	2 - TM38	2 - VNBASS w/ACC				
Disc Brake Type	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraelic	Phaetam, Hydrael				
Brive / Driven Clutch	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85 / TEAN	P-85/TEAM
SUSPENSION								Specifical Section 1985
Front Suspension	IQ RMX Adjustable	IQ RMK Adjustable	IQ RMK Adjustable	10 RMK Adjustable	IQ RMK Adjustable	10 RMK Adjustable	lQ RMK Adjustable	Escape -
Front Travel (in./cm.)	9 / 22.9	9 / 22.9	9/22.9	9 / 22.9	9 / 22.9	9/22.9	9/22.9	7.6/19.3
Front Shocks	Ryde AFX	Ryde AFX	Ryde AFX	Nitrex				
Ski Type	Sidehiller 2	Sidehiller 2	Sidehiller 2	Sidehiller 2				
Rear Suspension	Oual-Purpose Rail	Dual-Purpese Rail	Dual-Purpose Rail	Oual-Perpose Rail	Daal-Purpose Rail	Dual-Purpose Rail	Dual-Purpose Rail	Dual-Purpose Rai
Rear Travel (in./cm.)	18.5 / 47	17.5 / 44.5	16.5 / 41.9	17.5 / 44.5	18.5 / 41.9	16.5 / 41.9	16.5 / 41.9	13.8 / 35.1
Front Track Shock	Ryde FX	Ryde FX	Ryde FX	Nitres				
Rear Track Shock	Ryde AFX	Ryde AFX	Ryde AFX	Nitrex Select				
Track Width / Length / Height (in.)	15 x 166 x 2.4	15 x 159 x 2.4	15 x 151 x 2	15 x 159 x 2.4	15 x 151 x 2	15 x 144 z 2	15 x 144 x 2	15 x 136 x 1.25
TEATURES.								
Electric Start	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory	TBA	Accessory
Reverse	PERC	PERC	PERC	PERC	PERC	PERC	PERC	PERC
Speedometer	MFD	MFD	MFD	MFB	MFD	MFD	MFD	Standard
Tachometer	MFD	MFD	MFD	MFD	MFD	MFD	MFO	Accessary
Fuel Gauge	MFD	MFD	MFD	MFD	MFD	MFD	MFD	Mechanical
Temp. / Low Oil Light	MFD	MFD	MFD	MFD	MFD	MFD	MFO	N/A / Standard
12v-DC Ootlet	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory
Hand & Thumb Warmers	Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable				
Heated Passenger Grips	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Mirrors	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory	Accessory
Seat Type	IO RMK, Removable	IQ RMK, Removable	IQ RMK, Removable	10 RMK, Removable	IQ RMK, Removable	IQ RMX, Removable	IG RMK, Removable	EBGE RMK
Rear Rack / Tow Hitch	Std. / Accessory	Std. / Accessory	Std. / Accessory	Std. / Accessory				
Available Colors	indy Red	Indy Red	Indy Red	Indy Red	lady Red	Indy Red	indy Red	ludy Red
12v-DC Ootlet Hand & Thumb Warmers Heated Passenger Grips Mirrors Seat Type Rear Rack / Tow Hitch	Accessory Std. Adjustable N/A Accessory ID RMK, Removable Std. / Accessory	Accessory Std. Adjustable N/A Accessory IQ RMK, Removable Std. / Accessory	Accessory Std. Adjustable N/A Accessory IO RMK, Removable Std. / Accessory	Accessory Std. Adjustable N/A Accessory 10 RMK, Removable Std. / Accessory	MFD Accessory Std. Adjustable N/A Accessory 10 RMK, Removable Std. / Accessory	MFD Accessery Std. Adjustable N/A Accessory O RMK, Removable Std. / Accessory	MFD Accessory Std. Adjustable N/A Accessory IG RMK, Removable Std. / Accessory	N/A / Acc Std. J Acc EBI


Polaris reserves the right to change specifications at any time without incurring obligation. Includes comparisons to 2005 models, Ryde FX* is a registered trademark of Arvin Meritor. Fast* M-10 is a registered trademark of Fox Racing Shox.

		_		_
TN	п	m	m	m
- 111	и	м	IN	1

700 TOURING	FST TOURING	FS TOURING	600 TOURING	TRAIL TOURING	TRAIL TOURING DELUXE	340 TOURING	WIDETRAK LX
129 / 327.7	129 / 327.7	129 / 327.7	128 / 325.1	128 / 325.1	128 / 325.1	128 / 325.1	T28 / 325.1
48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	48 / 121.9	43.5 / 110.5
53 / 134.6	53 / 134.6	53 / 134.6	49.5 / 125.7	49.5 / 125.7	49.5/125.7	49.5 / 125.7	51 / 129.5
42.5 / 108	42.5/108	42.5 / 108	42.5 / 108	42.5/108	42.5 / 108	42.5 / 108	38 / 96.5
10.8 / 40.9	9.2 / 34.8	9.2 / 34.8	12.25 / 46.4	12.25 / 46.4	12.25 / 46.4	12.25 / 46.4	11./41.6
Liberty / Liquid	Four-Strake / Liquid	Four-Stroke / Liquid	Liberty / Liquid	Polaris / Fan	Pelaris / Fan	Polaris / Fan	Polaris / Liquid
2,755	2,750	2,750	2,599	2,544	2,544	2,339	2.488
Digital CDI w/TP\$, WTS and DET	Bosch, Closed-Loop	Boscb, Closed-Loop	Digital CDI w/TPS, WTS, and Fuel Octane Switch	Digital CDI	Digital COI	Digital CDI	103
SC VES, Single	Single, Turbo	Single	YES, Single	Single	Single	Single	Single
Cleanfire Injection	£FI	EFI	2 - TM38	2 - VM34	2 - YM34	2 - YM30SS	2 - YM34SS
Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Phantom, Hydraulic	Mechanical
P-85 / TEAM	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85/TEAM	P-85
42							
IQ	IQ.	10	EDGE	EDGE	EDGE	EDGE	. IPS
10 / 25.4	18 / 25.4	10 / 25.4	10 / 25.4	10 / 25.4	10 / 25.4	10 / 25.4	7.25 / 18.4
Nitrex Select	Nitrex Select	Nitrex Select	Nitrex Select	Nitrex Select	Hitrex Select	Nitrex	Nitrex
Composite	Composite	Composite	Composite	Composite	Composite	Composite *	Composite, Wide
Fast M-10	Fast M-10	Fast M-18	EDGE Touring	EDGE Touring	EDGE Touring	EDSE	Adjustable-Coupling Ra
14 / 35.6	14 / 35.6	14 / 35.6	15.2 / 38.6	15.2 / 38.6	15.2 / 38.6	13.9 / 35.3	9 / 22.9
FOX, HPG, IFP	FOX, HPG, IFP	FOX, HPG, 1FP	Ryde AFX	Ryde AFX	Ryde AFX	Nitrex	
FOX, HPG, IFP	FOX, HPG, IFP	FOX, HPG, IFP	Ryde FX, HPG	Ryde FX, HPG	Ryde FX, HPG	Hitrex Select	Nitrex
15 x 136 x 1				•			Nitrex
13 X 130 X 1	15 x 136 x 1	15 x 136 x 1	15 x 136 x 1	15 x 136 x 1	15 x 136 x 1	15 x 136 x 1	20 x 156 x 1
Chanled	Standard	Chandard	Chandani		Charles	Standard .	Standard Co.
Standard	Standard BEDD 4	Standard	Standard	Accessory	Standard	Standard	Standard
PERC	PERC-4	PERC-4	PERC	PERC	PERC	PERC	Hi / Lew / Reverse
MFD	MFD	MFD	Standard	Standard	Standard	Standard	Staniari
MFD	MFD	MFD	Standard	Accessory	Accessory	Accessory	Accessory
MFD	MFD	MFD	Electric	Mechanical	Mechanical	Mechanical	Mechanical
MFD	MFD	MFD	Standard	N/A / Standard	N/A / Standard	N/A / Standard	Standard
Standard	Sta nda rd	Standard	Standard	Accessory	Standard	Accessory	Accessory
Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable	Standard
Std. Adjustable	Std. Adjustable	Std. Adjustable	Std. Adjustable	N/A	, 11/4	K/A	WA 🦠
Standard	Standard	Standard	Standard	Accessory	Standard	Accessory	Accessary
-up Pillow, Removable	2-up Pillow, Removable	2-up Pillow, Remayable	2-up Pillow, Removable	2-up Pillow, Removable	2-up Pillow, Removable	2-up, Removable	2-ир, w/Underseat Steragi
td., Covered / Receiver	Std., Covered / Receiver	Std., Covered / Receiver	Std., Covered / Receiver	Std., Covered / Receiver	Std., Covered / Receiver	Std., Covered / Receiver	Standard
Selar Red	Graphite Metallic	Graphite Metallic	Solar Red	Solar Red	Solar Red or SuperSonic Blue	Solar Red	Solar Red

THE 440 IQ RACE SLED. KEEPING THE COMPETITION WHERE IT BELONGS. BEHIND.

The 2005 race season marked the introduction of our 440 IQ racer, garnering a notable presence in both the amateur and professional ranks. With an enhanced and purposeful design that delivers the most balanced and responsive race sled to date, the 440 IQ speaks volumes about the Polaris commitment to research and development. Based on the same intelligently designed IQ chassis that is the backbone of all our 2006 IQ models, the 440 IQ delivers the ideal balance of power and control. Plus our class-leading Liberty 600 HO engine derives its performance attributes from this racetrack champ. Why? Because Polaris understands that the desire to race lies within every snowmobiler. And it's this understanding that fuels our commitment to creating superior machines designed to deliver in-your-face performance.







Snowmobiles depicted in this brochure may leatine PURE parts end accessories and are not of the base model snowmobile they accompany.

September 200/or feature and herefit claims are based to an expension and with the

PURE

Foliais Sales Inc., 2100 Hwy. 55, Medina, MN 55340 (763) 542-0500 Fax (763) 542-0599 Foliais Sales Inc., 2100 Hwy. 55, Medina, MN 55340 (763) 542-0500 Fax (763) 542-0599 Foliais Industries LTD: 1445 Church Ave., Winnipeg, Manitoba Canada R2X 2X9 (204) 925-7100 Fax (204) 925-7110

GRAB LIFE BY THE HORMS

BE CICKI WHOLE CHANK

